# RAILWAY BONUS FOR SOUNDS WITHOUT MEANING? \*

## Hugo Fastl, Markus Fruhmann, Simon Ache

AG Technische Akustik, MMK, TU-Muenchen Arcisstr. 21, D-80333 Muenchen, Germany

ABSTRACT. At same A-weighted energy-equivatent level, railway noise frequently is preferred to road traffic noise. This effect often is called naivey bowns. Anone possible reasons for the naivey house. Afferences is aspectrum, time structure, and menning of sound are discussed. In order to largely "neuralize" the meaning of sound, a procedure was proposed as follows: the sound, e.g. railway noise; is analyzed by Fourier-Time-Trainform (FTT) and - after spectra houseding: - ency-buticated by inverse FTT. The procedure has the advantage that the loadness-time functions of original and neutralized sound are identical, but the meaning of the sound is removed. In producoastic experiments, for original sound of railway versus road traffer noise, a ruinway house, much be sucritated. If the same sounds, when deprived from their meaning, also a railway homs would show up, then the meaning of sound would contribute to be dominant factor for the railway homs, with mentalized sounds no railway browns should show up. Results of corresponding psychoacoustic experiments are responded and discussed in were of the product should be as the other hand, the meaning of sound would contribute to be dominant factor for the railway homs, with mentalized sounds no nailway homs should show up. Results of corresponding psychoacoustic experiments are responded and discussed in view of the psychoalysical media duard.

#### 1. INTRODUCTION

At same A-weighted energy equivalent level, railway noise is frequently preferred to road traffic noise. This effect often is called railway bonus (Möhler 1988 [11], Fastl et al. 1994 [4]). Among possible reasons for the railway bonus differences in spectrum, time structure and meaning of sound are discussed (Fastl et al. 1996 [5]). Spectral differences between road noise and rail noise at low frequencies can account for part of the railway bonus: the low frequency components of road noise are strongly attenuated by Aweighting. However, these components contribute to the loudness of road noise and therefore, despite same Aweighted level, road noise can be perceived as being louder than rail noise (Fastl 1996 [1]). The temporal structure of rail noise with long pauses between events also could contribute to its preference over road noise, in particular for busy roads with densely packed events.

A third alternative part forward in the literature as a possible cause of the railway boms would be notalajic feelings evoked by (howing) train sounds, leading to a preference of nisway noise. This hypothesis was assessed as follows: a procedure was used which largely can "neutralize" the meaning of sound. Despite the fact that the loadness-time meaning of the sound is removed, i.e. the sound source can no loage the recognized.

In this paper, results of experiments are reported, in which original sounds as well as neutralized sounds were evaluated with respect to overall loudness or by a method of semantic differential. The results will be discussed in view of the following two questions:

- whether for neutralized sounds also a railway bonus shows up, and
- (2) whether the recognition of specific sound sources like railways may influence the judgements.
- Originally presented at WESPAC8, Melbourne, April 2003

## 2. EXPERIMENTS

Eight subjects with normal thresholds of hearing and an age between 24 and 58 (molain 25) years participated in the psychoscoutic experiments. Sounds were presented in an anchoic chamber over a loadpacket, Subjects were tested matching the state of the subjects. Subjects were tested matching the subject of the subjects and the subject matching the subject of the subject of the subject of the matching the subject of the subject of the subject of the matching the subject of the subject of the subject of the matching the subject of the subject

In order to remove the meaning of the sounds, a procedure was used as follows (Fastl 2001 [2], Fastl 2002 [3]): The noise emissions of five minutes duration were spectrally analysed by an FTT procedure (Terhardt 1985 [12]), and after spectral broadening – were re-synthesized by inverse FTT. The corresponding procedure is illustrate in figure 1.



Fig. 1: Block diagram illustrating the procedure to neutralize the meaning of sound. In this way, sounds were produced which have the same loudness-time function as the original sounds, but the information about the sound sources is removed (Fastl 2001 [2]). In essence, the neutralized sounds can be compared to amplitude modulated broadband noise.

With the four sounds of five minutes duration each, the following experiments were performed: (1) judgement of overall loudness by category scaling (Kuwano and Namba 1985 [8], Fasti et al. 1989 [6]); (2) evaluation by the method of semantic differential (Kuwano et al. 1997 [9]). Since both methods are described in the literature, for details the reader is referred to the references given.

#### 3. RESULTS

Figure 2 shows the results obtained by category scaling of overall loudness. Seven categories from very soft to very loud are used. Filled symbols denote loudness judgements for road traffic noise, open symbols indicate loudness judgements for railway noise. Squares illustrate loudness judgements for original sounds, thombs loudness judgements for neutralized sounds.




Fig. 2: Judgement of overall loudness for road traffic noise versus railway noise of five minute duration each with  $L_{Aeq} = 55$  dB(A). Filled symbols: road traffic noise, unfilled symbols: railway noise. Squares: original sounds, thombs: neutralized sounds.

The data displayed in figure 2 clearly show that despite the same A-weighted energy equivalent sound pressure level of 55 dB(A), railway noise is judged softer than road traffic noise (c.f. unfilled versus filled square). This result is in line with the concept of "railway bonus". When the meaning of the sounds is neutralized (rhombs), also a railway bonus shows up, i.e. the neutralized sound derived from road traffic noise is judged louder than the neutralized sound derived from railway noise. Since the original sounds and the neutralized sounds show the same loudness-time function, but for the neutralized sounds the sound sources can no longer be recognized, the results displayed in figure 2 could be interpreted as follows: the loudness differences seem to be the main cause for the railway bonus and the meaning of sounds, e.g. the nostalgic feelings connotated to railway noise seems to be less important.

In order to get more detailed information about possible reasons for the railway bonus, noise emissions of five minute duration were evaluated by the method of semantic differential. A list of adjectives was chosen, which had been successfully used in an international study (Kuwano et al. 2000 [10]).

Figure 3 gives the results for the original sounds. Filde squares indicate data for road traffic noise, unfilled squares show results for railway noise. From the data displayed in figure 3 it becomes clear that in comparison to railway noise, road traffic noise is louder, more frightening, more dangerous, more powerful, etc. This result could be interpreted in favour of a "railway bons".




Fig. 3: Semantic differential for road traffic noise (filled squares) versus railway noise (unfilled squares).

Figure 4 gives the results for the corresponding neutralized souths. Data for neutralized road traffic noise are indicated by filled thombs, results for neutralized railway noise by unfilled thombs. As for the original sounds, in comparison to the neutralized railway noise, the neutralized road traffic noise is louder, more frightening, dangerous, powerful etc.

These results indicate that also for neutralized sounds, a railway bonus shows up. Moreover, at first sight, these data could be interpreted that the meaning of sound does not influence the railway bonus.




Fig 4: Semantic differential for neutralized road traffic noise (filled rhombs) versus neutralized railway noise (open rhombs).

Table I enables a closer inspection of the data. For both original and neutralized sounds, the statistical significance of the differences between road traffic noise and railway noise are given.

	original	neutralized
	road vs. rail	road vs. rail
loud/soft	0.0185	0.0234
deep/shrill	0.0000	0.0017
frightening/not frightening	0.0197	0.0314
pleasant/unpleasant	0.0004	0.1796
dangerous/safe	0.0006	0.0298
hard/soft	0.1400	0.1808
calm/exciting	0.0147	0.0124
bright/dark	0.0000	0.0006
weak/powerful	0.0002	0.0002
busy/tranquil	0.0039	0.0145
conspicuous/inconspicuous	0.9343	1.0000
slow/fast	0.2572	0.1742
distinct/vague	0.2268	0.4466
weak/strong	0.0010	0.0004
tense/relaxed	0.0009	0.1099
pleasing/unpleasing	0.0001	0.2373

Table I: Analysis of the statistical significance of differences between road traffic noise and railway noise for original sounds as well as neutralized sounds. Statistically significant differences (p<0.05) are given in bold.

The data displayed in Table I suggest the following conclusions: For both original sounds and neutralized sounds, road traffic noise produces statistically significant larger values than railway noise for the adjectives *loud, deep, frightening, dangerous, exciting, dark, powerful, busy, strong.* 

Both original and neutralized sounds show no statistically significant differences between road traffic noise and railway noise for the adjectives hard conspicuous slow distinct Most interesting are the adjectives pleasant, relaxed, pleasing, which indicate a statistically highly significant difference (p<0.001) between road traffic noise and railway noise for the original sounds, but not for the corresponding neutralized sounds (p>0.10). These results can be interpreted that the loudness of sounds represents a dominant feature for the description of the railway bonus. However, some influence of the meaning of the sound source cannot completely be ruled out, since for the original sounds, where the sound sources rail versus road are easily recognized, there is a statistically significant difference with respect to the pleasantness of the sounds. If however, the sounds are neutralized, the differences in pleasantness disappear. In essence this means that the recognition of a railway as a sound source may contribute to some extent to a better rating.

# 4. CONCLUSION

The results of the experiments described in this paper clearly indicate that differences in loudness of sounds with same Aweighted energy equivalent level constitute a main reason for the nailway bonus (cf. Fastl 1996 [11]). This holds true for both original sounds and neutralized sounds. Moreover, this conclusion is reached by the evaluation of overall loudness as well as by the method of semantic differential. However, data from the latter method also indicate that some differences in the pleasantness of road traffic noise versus railway noise may play a role. In other words, some effects of the image of the sound source with respect to the anilway bonus are possible. Helbfück et al. (2002 (7)), when comparing original with neutralized sounds, also reported data, which point in a similar direction.

In conclusion then, some influence of the image of the sound source on the railway bonus may be possible. However, further experiments are necessary to explore the magnitude of these influences in detail, in particular in comparison to the dominant loudness differences.

# ACKNOWLEDGMENT

The authors wish to thank cand.-Ing. Christoph Lindner for executing the experiment on loudness scaling. This work is supported by Deutsche Forschungsgemeinschaft.

## REFERENCES

- Fastl, H., "Masking effects and loudness evaluation", Recent Trends in Hearing Research (H. Fastl et al Eds.), Bibliotheksund Informationssystem der Carl von Ossietzky Universität Oldenburg, Oldenburg, 29-50, 1996.
- Fastl, H., "Neutralizing the meaning of sound for sound quality evaluations", Proc.17th International Congress on Acoustics, Rome 2001, CD ROM (2001)
- Fastl, H., "Features of neutralized sounds for long term evaluation", Proc. Forum Acusticum Sevilla 2002, NOI-04-003-IP in CD-ROM (2002)
- Fastl, H., Kuwano, S., Namba, S., "Psychoacoustics and rail bonus", INTER-NOISE'94. Vol. II., 821-826 (1994).
- Fastl, H., Kuwano, S., Namba, S., "Assessing in the failway bonus in laboratory studies", J. Acoust. Soc. Jpn., 17, 139-148 (1996).
- Fastl, H., Zwicker, E., Kuwano, S., Namba, S., "Beschreibung von Lärminmissionen anhand der Lautheit", Fortschritte der Akustik, DAGA'89, Verl.: DPG- GmbH, Bad Honnef, 751-754 (1989)
- Hellbrück, J., Fastl, H., Keller, B., "Effects of meaning of sound on loudness judgements", Proc. Forum Acusticum Sevilla 2002, NOI-04-002-IP in CD-ROM (2002)
- Kuwano, S., Namba, S., "Continuous judgment of levelfluctuating sounds and the relationship between overall loudness and instantaneous loudness", *Psychol. Res.*, 47, 27-37 (1985)
- Kuwano, S., Namba, S., Fastl, H., Schick, A., "Evaluation of the impression of danger signals - comparison between Japanese and German subjects", 7. Oldenburger Symposium (A. Schick, M. Klatte, Eds.), BIS Oldenburg, 115-128 (1997)
- Kuwano, S., Namba, S., Schick, A., Höge, H., Fastl, H., Filippou, Th., Florentine, M., Muesch, H., "The Timbre and Annoyance of Auditory Warning Signals in Different Countries", Proc. INTER-NOISE'2000, CD-ROM (2000)
- Möhler, U., "Community response to railway noise: a review of social surveys", J. Sound Vib., 120, 321-332 (1988)
- Terhardt, E., "Fourier transformation of time signals: Conceptual revision", Acustica, 57, 242-256 (1985)

additional references: http://www.mmk.ei.tum.de/noise.html